Material Safety Data Sheet

Issue Date 29th April 2010.

PRODUCT NAME: WOOD DUST (Treated)

Not classified as hazardous according to criteria of NOHSC

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Product Name Wood Dust (Treated)

Byproduct from machining of treated timber laminates. **Product Use**

Company Name Pacific Woodtech Corporation.

Address 185 Park Lane. Burlington. WA. 98233 USA.

Emergency Tel. 00111 (360) 7072200

Telephone Tilling Timber PH: 613 9725 0222 FAX 613 9725 3045

Number/fax 31-45 Orchard Street. Kilsyth. Vic.3137.

COMPOSITION/INFORMATION ON INGREDIENTS

Information on Composition

Ingredients

Byproduct based on timber laminates.

Name **CAS Proportion** Wood Dust N/A 85-98% Formaldehyde 50-00-0 < 0.1%

Polymeric diphenylmethane

Disocyanate (MDI) 101-68-8 1.5-4.0% Dibutyl phthalate 84-74-2 < 0.1% Imidacloprid 138261-41-3 < 0.001%

3. HAZARDS IDENTIFICATION

Not classified as hazardous according to the criteria of NOHSC and not

classified as a dangerous good according to the ADG code.

Risk phrases:

R20 Harmful by inhalation

Safety phrases:

Do not breathe dusts. S22

Hazard Category

Symptoms & Effects Inhalation of dusts produced during handling may cause irritation of

breathing passages and lead to long term adverse effects to breathing

system.

Other Hazard Information: Nil

FIRST AID MEASURES

Inhalation Remove victim to fresh air. Investigate possible misuse of material. Seek

Ingestion Rinse mouth thoroughly with water immediately. Give water to drink. DO

NOT induce Vomiting. Seek medical attention.

Eye Remove contact lenses. Immediately irrigate with copious amounts of water

for at least 15 minutes. Eyelids to be held open. Seek immediate medical

assistance

Skin Wash affected areas with copious quantities of water. If irritation occurs,

seek medical advice.

First Aid Facilities Normal washroom facilities. **Advice to Doctor** Treat symptomatically.

5. FIRE FIGHTING MEASURES

Product is combustible. Use water, CO2, or foam extinguishing media. **Extinguishing Media**

Where dusts have ignited ensure thorough coverage and good penetration of

dust is achieved.

Specific Hazards

Precautions in connection with Fire

Firefighters should wear Self-Contained Breathing Apparatus and full protective clothing to minimise exposure. Promptly isolate the scene by

removing all persons from the vicinity of the incident if there is a fire. If

safe to do so, remove undamaged containers from fire area.

Page 2 of 4

Product Name: **Dust (Treated)**

Not classified as hazardous according to criteria of NOHSC

6.	ACCIDEN	ITAL	RELEASE	MEASURES
----	---------	------	---------	-----------------

Dusts generated should be contained and collected using efficient local Spills & Disposal

extraction equipment, stored in sealed containers, and disposed of to

approved landfill.

7. HANDLING AND STORAGE

Storage

Handling Repeated or prolonged exposure without personal protection should be

> avoided in order to lessen the possibility of disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking or going to the toilet. Use only in a well ventilated area. Keep container closed and bung in place.

This product should be stored in a cool, dry, well ventilated area, out of the

reach of children and away from oxidising agents. Do not store for

prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Exposure Limits No value assigned for this specific item by the National Occupational Health

> and Safety Commission (NOHSC). However as with all chemicals additives, exposure should be kept to the least possible levels.

Where dusts are generated during normal operations such as cutting, shaping **Respiratory Protection**

and sanding, it is advisable to wear simple particulate dust mask. The risks associated with this product are from fine dust carrying chemical residues

into the air exchange regions of the breathing passage.

Eye Protection Safety glasses.

Hand Protection Plastic or rubber gloves advisable where prolonged contact is likely.

Body Protection Not required.

Efficient mechanical dust extraction should be employed within the **Eng. Controls**

immediate working area.

Other information No Biological Limit Value allocated.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance Light to Dark tan dust.

Odour Feint

Boiling Point Not applicable **Solubility in Water** Not soluble in water

Specific Gravity

Physical State Fine particulate dust **Flash Point** Non flammable **Flammability** Combustible. Flammable Limits LEL Non flammable Flammable Limits UEL Non flammable

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of storage and handling.

Hazardous Will not occur.

Polymerization

Materials to Avoid Strong oxidizing agents.

Hazardous None known.

Decomposition

Products

Hazardous Reaction Not a fire hazard. Will support combustion if involved in a fire.

11. TOXICOLOGICAL INFORMATION

Toxicology Not available for product. Formaldehyde is a suspected carcinogen however

studies have been unable to detect sufficient levels in air during normal

processing operations of these laminates to warrant concern.

Information Formaldehyde OSHA PEL 2ppm STEL 0.75ppm TWA

Material Safety Data Sheet

Dust (Treated)

Not classified as hazardous according to criteria of NOHSC

MDI 0.2mgm/m³ STEL, 0.075 mgm/m³ TWA

Dibutyl phthalate 5.0 mgm/m³ TWA Imidacloprid LD₅₀ (Oral Rat) 450 mg/Kg Wood Dust 15 mgm/m³ as total dust.

Inhalation May cause irritation to the mouth, nose and throat.

Ingestion Ingestion can cause nausea and vomiting. Not a likely source of exposure,

however, may be harmful if swallowed in large amounts. Potential symptoms include nausea, diarrhoea, abdominal pain and vomiting.

Skin May cause irritation with prolonged contact with the skin, which can result

in redness, itchiness, swelling and possibly lead to dermatitis.

Eye An eye irritant. May cause eye soreness through abrasive action.

Chronic Effects Prolonged and repeated exposure through skin contact, or swallowing of this

material with no personal protection may result in long term adverse effects.

Page 3 of 4

12. ECOLOGICAL INFORMATION

Environ. Protection Not harmful to aquatic life. Not harmful to birdlife. Prevent this material

from entering the environment in dust form.

Mobility No data is available for this product.

Persistence / No data is available for this product.

Degradability

Product Name:

Bioaccumulation No data is available for this product. **Ecotoxicity** No data is available for this product.

13. DISPOSAL CONSIDERATIONS

Dispose of waste according to federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

14. TRANSPORT INFORMATION

U.N. Number None allocated
Proper Shipping Name None allocated
DG Class None allocated
Hazchem Code None allocated
Packing Group None allocated
EPG Number None allocated
IERG Number None allocated

15. REGULATORY INFORMATION

Safety Phrase S22 Do not breathe dusts.

Poisons Scheduled Not Scheduled

AICS (Australia) All materials are listed in the Australian Inventory of Chemical Substances

(AICS).

16. OTHER INFORMATION

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this MSDS in the context of how the product will be handled in the workplace and in conjunction with other materials. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Contact Person/Point Tilling Timber. Manager 613 9725 0222

SDS History MSDS Creation: 29th April 2010.

Re-issue date 16th Feb 2016

... End of MSDS...